



12-9-91
12.3.8 v.6
RECEIVED
DEC 09 1991

AGCW SEATTLE

P.O. BOX 1190, OLYMPIA, WASHINGTON 98507 PHONE: (206) 943-6063 FAX: (206) 352-4813

DAN PETERS
3801 E. Marginal Way South
Seattle, WA 98134

RE: Ashgrove Cement

Dear Mr. Peters:

When talking with you today I realized that time is of the essence on this project. So, I have elected to gather the information and send it to you immediately along with the secrecy agreement that needs to be signed and returned to CH2O, Inc. Please read the secrecy agreement, sign it, and return it to me in the envelope included at your earliest convenience.

The information package I've sent includes a product data sheet, a material safety data sheet, and a product information letter for each product under discussion. I have also included information on an alternate product for use as a biocide; SRI-5. It has been our experience that this product is much more environmentally friendly than the other options and is quite effective when used properly. I would suggest that you peruse this information, including the detailed letter from DOW (the manufacturer of the SRI-5), and consider this biocide rather than the DOS-1 and SRI-1 biocides that were initially proposed.

For your information, I have also included a copy of the letter I sent to the DOE for Mark Howell concerning the Ashgrove Cement project. This may or may not be of interest to you.

If you require additional information on testing and monitoring of chemical residuals, please contact me at the corporate office. We have methods that may be of use to you once discharge parameters are set by Metro. Good luck with your permitting process!

Sincerely,

Joyce Prindle

Joyce Prindle
Technical Services Director

Enclosures

USEPA SF



1261784

"SAFETY - ENVIRONMENT - ENERGY EFFICIENCY"

AGC2H000300